


侦测超高频标签

Draft  
初稿

Detection Sensor UHF Tag




基本参数/Basic Parameters

尺寸/Size (L/OD x W/ID x H)	118*28*0.2mm(ID/OD:圆形标签内径/外径,ID/OD:inner/outer diameter of round tags)
面材封装/FaceStock or Housing	无/without facestock
安装方法/Installation	胶粘/Adhesive
天线工艺/Antenna Type	铜天线/Copper Antenna
技术/Technology	平面微带/Microstrip Flat Style
离型纸/Backing Liner	双面离型透明PET/Dual Silicon & Transparent PET Liner
特征/Characters	侦测(Detection Sensor)

产品特性/Product Feature


芯片/Chip Model	G2L+
协议/Protocol	ISO18000-6C GEN2
频率范围/Operating Frequency	860-960Mhz
内存/Memory	TID/UID 64bit+ EPC/Block 128bit+ User 0bit+ Reserve 32bits access Password and 32bits kill password
读距/Reading Range	400cm (depends on reader)
应介质/Applicable Surface	空气(Air-free)
个性化选项/Option	定制彩色印刷条码文本或个性化编码Custom color printing(Embossing or laser-engraving) with barcode or text & personalization encoding

附加说明/Additional




**供货方式/Delivery & Supply Format**

单片/单张/单个供货按照需要每100-1000片/个/张/包(特殊要求见附加说明) Supply in piece with 100-1000PCS/bag ((Check Additional Note for your specific request)



**应用场景/Application**

广泛应用工业自动化、电力、生产线、智能终端、零售终端、无人终端系统等，并为相关设备、仪器、车间、工位配置RFID唯一标识，方便管理跟踪、数据化、信息化MES MIS运营监管。Mainly used for industrial automation, electric power supply, production line, smart terminal, retail terminal, un-man terminal system and unique identification for each device, equipment, workshop, assembly line in order to be datamation, information, traceable for those MES MIS system.



**环境参数/Environmental Parameter**

数据保存/Data EEPROM Retention	10years
静电保护/ESD Limited Voltage	2KV
工作温度/Operating Temperature	-35℃ - 85℃
储存温度/Storage Temperature	0℃ - 25℃
操作湿度/Relative Humidity	10%-95%(Variant Performance)

**声明/STATEMENT**

上述数据是基于本公司对产品特性的一般了解，仅供一般信息参考。客户购买本产品时应在实际应用条件下测试结果来自行决定是否适用。英诺尔向购买者保证其产品材料和工艺上没有不良。The above data is based on our company general understanding of the product attribute, is just for general reference. Buyer should evaluate product under the condition of practical application to decide whether it is suitable for your application. XMinnov guarantee their products to the buyers that there is no defect on product material and fabrication.

批准Approved By:张琼勇  
日期Date:2022/03/23

制作审核Prepared & Checked By:林阿霞  
日期Date:2022/03/23